

PRODUCT CATALOG



 888-345-2645

 www.coilspot.com

 sales@coilspot.com

29 Gauge Cut-to-Order

Solid




Center Vented



(PRECUT TO LENGTH)

Vented



Textured Colors

TAG	Tex. Ash Gray
TBW	Tex. Brilliant White
TBN	Tex. Brown
TBG	Tex. Burgundy
TBS	Tex. Burnished Slate
TCH	Tex. Charcoal
TDB	Tex. Dark Blue
TDG	Tex. Dark Green
TGB	Tex. Gallery Blue
TGR	Tex. Graphite
TMB	Tex. Matte Black
TRU	Tex. Rustic Red
TTA	Tex. Taupe

Smooth Colors

AL	Alamo White	GB	Gallery Blue
AG	Ash Gray	HU	Hunter Green
BA	Bare Galvalume	IV	Ivory
BW	Brilliant White	LS	Light Stone
BR	Brite Red	MB	Matte Black
BN	Brown	OC	Ocean
BU	Buckskin	PG	Pewter Gray
BG	Burgundy	RU	Rustic Red
BS	Burnished Slate	SB	Shiny Black
CH	Charcoal	TN	Tan
CM	Copper Metallic	TA	Taupe
DC	Dark Green		

Woodgrain

WO	Warm Oak
WG	Weathered Gray

Fast SPEEDLAP Technology



- Available in all colors
- Heavy duty 29 gauge steel
- Fast and easy to install
- Fits 1/2" J channel trim



CUSTOM & FULL WIDTH COILS

26 Gauge Grade 50 Steel

29 Gauge Grade 80 Steel

Precision slit. Mill direct pricing. Deliverable nationwide.

CUSTOM SLIT COILS

- Slit to your exact required width
- Ideal for roll formers and custom panel production
- Clean, consistent edges
- Ready for immediate fabrication

FULL WIDTH COILS

- Standard mill width coils available
- Perfect for large production runs
- Compatible with most panel systems
- Consistent coating and thickness throughout



SMOOTH

TEXTURED

WOODGRAIN



SEE COLOR CHART FOR
AVAILABLE COLORS

✓ **By the coil**

✓ **By the truckload**

✓ **Mill direct available**


FASTENERS

Wood Claw®



Product Features:

- 1/4" Hex Head
- #10 Shank
- 1,000 Hour Salt Spray Test Coating
- Type 17 Tip
- EPDM Bonded washer - eliminates bulging, creating an excellent seal
- Widens at the top of thread for superior strength




Product ID		Pcs/Bag	Pcs/Box	Bags/Box
WC34	#12 3/4" Wood Claw	250	3,000	12
WC1	#10 1" Wood Claw	250	3,000	12
WC112	#10 1-1/2" Wood Claw	250	2,500	10
WC2	#10 2" Wood Claw	250	2,000	8
WC212	#10 2-1/2" Wood Claw	250	1,500	6
WC3	#10 3" Wood Claw	250	1,000	4
WC4	#10 4" Wood Claw	250	1,000	4

Custom Wood Grain

**We Can Match
Your Wood Grain
Panels!**

Available in various sizes of
Wildcat Fasteners



CUSTOM PAINT

We can **color-match** any screw
to your required color

FASTENERS



Mini Claw

Product Features:

- 1/4" Hex Head
- #10 Shank
- 1,000 Hour Salt Spray Test Coating
- #1 Drill Tip
- EPDM Bonded washer - eliminates bulging, creating an excellent seal
- Widens at the top of thread for superior strength




Product ID		Pcs/Bag	Pcs/Box	Bags/Box
MC1	#10 1" Wood Claw	250	3,000	12
MC112	#10 1-1/2" Wood Claw	250	2,500	10

Shadow Claw

Product Features:

- Thicker #12 Shank
- High - Low Thread
- 1/4" Hex Head
- Type 17 Tip
- 1,000 Hour Salt Spray Test Coating



Product ID		Pcs/Bag	Pcs/Box	Bags/Box
WCS1	#12 1" Wood Claw	250	3,000	12
WCS112	#12 1-1/2" Wood Claw	250	2,500	10

We can **color-match** any screw to your required color

FASTENERS

Steel Claw®



Product Features:

- 5/16" Hex Head
- Self Drilling
- Metal to Metal Fastener
- Multilayer Paint Protection
- Heavy Duty EPDM Washer
- 1,000 Hour Salt Spray Test Coating

Product ID		Pcs/Bag	Pcs/Box	Bags/Box
SC78	#14 7/8" Steel Claw	250	2,500	10
SC1	#12 1" Steel Claw	250	2,500	10
SC114	#12 1-1/4" Steel Claw	250	2,500	10
SC112	#12 1-1/2" Steel Claw	250	2,000	8
SC2	#12 2" Steel Claw	250	1,500	6

Replacement/OSB



Product Features:

- Wider Washer
- #14 Shank
- High - Low Thread
- 5/16" Hex Head
- Type 17 Tip
- Multilayer Paint Protection
- 1,000 Hour Salt Spray Test Coating

Product ID		Pcs/Bag	Pcs/Box	Bags/Box
WCR1	#14 1" Wood Claw	250	2,500	10
WCR112	#14 1-1/2" Wood Claw	250	2,000	8
WCR2	#14 2" Wood Claw	250	1,500	6
WCR3	#14 3" Wood Claw	250	1,000	4

We can **color-match** any screw to your required color


FASTENERS

Low Profile



Product Features:

- T-25 Torx Head
- Painted Low Profile Head
- Multi-layer paint protection
- Type 17 Tip
- EPDM Washer
- 1,000 Hour Salt Spray Test Coating



Product ID

		Pcs/Bag	Pcs/Box	Bags/Box
WCL1	1" Wood Claw Low Profile	250	3,000	12
WCL112	1-1/2" Wood Claw Low Profile	250	2,500	10

Wood Claw Pancake

Product Features:

- T-25 Torx Head
- #10 Shank
- Type 17 Tip



Product ID


		Pcs/Bag	Pcs/Box	Bags/Box
WCP1	1" Wood Claw Pancake	250	3,000	12
WCP112	1-1/2" Wood Claw Pancake	250	2,500	10
WCP2	2" Wood Claw Pancake	250	2,000	8

We can **color-match** any screw to your required color

FASTENERS



Stainless Steel Cap



Product ID

WCC112 | 1-1/2" Wood Claw Stainless Steel Cap


Product Features:

- 1/4" Hex Head
- Stainless Steel Cap
- Multi-layer paint protection
- Type 17 Tip

Pcs/Bag Pcs/Box Bags/Box

250 2,500 10

Wood Claw - Zinc



Product Features:

- 5/16" Hex Head
- Zinc Aluminum Alloy Cap
- Multilayer Paint Protection
- Type 17 Tip
- Bonded EPDM Aluminum Washer
- 1,000 Hour Salt Spray Test Coating

Product ID

WCZ1 | 1" Wood Claw Zinc Cap

Pcs/Bag

Pcs/Box

Bags/Box

WCZ1

1" Wood Claw Zinc Cap

250

2,500

10

WCZ112

1-1/2" Wood Claw Zinc Cap

250

2,500

10

WCZ2

2" Wood Claw Zinc Cap

250

1,500

6

We can **color-match** any screw to your required color

FASTENERS

Steel Claw Zinc



Product Features:

- 5/16" Hex Head
- Zinc Aluminum Alloy Cap
- Multilayer Paint Protection
- Self Drilling Tip
- Bonded EPDM Aluminum Washer
- 1,000 Hour Salt Spray Test Coating

Product ID

SCZ78	7/8" Steel Claw Zinc Cap
SCZ112	1-1/2" Steel Claw Zinc Cap


Pcs/Bag

Pcs/Box

Bags/Box

250	2,500	10
250	1,500	6

3/16" Rivet



AVAILABLE
IN ALL
COLORS

Product ID

RI**	3/16" Rivet
------	-------------

Pcs/Bag

Pcs/Box

Bags/Box

100	1,000	10
-----	-------	----

We can **color-match** any screw
to your required color

SEAL FOAM

Seal Foam



Product Features:

- Supplied with self adhesive on one side. Once packaging is removed, material will begin to expand gradually.
- Temperature range: -40°F to 158°F
- UV Stable
- Conforms to contours and fills gaps
- Highly resistant to bugs and vermin
- Does not extrude from joints

Product ID

Pcs/Box

SF1

1" x 1" x 19.68' Roll

26

SEAL FOAM

Seal Foam

1-1/2"

Expanded Size

SF112



Product Features:

- Supplied with self adhesive on one side. Once packaging is removed, material will begin to expand gradually.
- Temperature range: -40°F to 158°F
- UV Stable
- Conforms to contours and fills gaps
- Highly resistant to bugs and vermin
- Does not extrude from joints

Product ID

Pcs/Box

SF112

1-1/2" x 1" x 13.12' Roll

24

ROUND PIPE FLASHING

Standard



Withstands up to 238° F

RD1	#1	1/4" - 2-1/2"	10/Box
RD2	#2	1-3/4" - 3-1/4"	10/Box
RD3	#3	1/4" - 5"	10/Box
RD4	#4	3" - 6-1/4"	10/Box
RD5	#5	4-1/4" - 7-1/2"	5/Box
RD6	#6	5" - 9"	5/Box
RD7	#7	6" - 11"	5/Box
RD8	#8	7" - 13"	5/Box
RD9	#9	10" - 19"	5/Box

Hi-Temp



Withstands up to 392° F

RD3H	#3	1/4" - 5"	10/Box
RD3HR	#3	1/4" - 5" RED	10/Box
RD4H	#4	3" - 6-1/4"	10/Box
RD4HR	#4	3" - 6-1/4" RED	10/Box
RD5H	#5	4-1/4" - 7-1/2"	5/Box
RD5HR	#5	4-1/4" - 7-1/2" RED	5/Box
RD6H	#6	5" - 9"	5/Box
RD6HR	#6	5" - 9" RED	5/Box
RD7H	#7	6" - 11"	5/Box
RD7HR	#7	6" - 11" RED	5/Box
RD8H	#8	7" - 13"	5/Box
RD8HR	#8	7" - 13" RED	5/Box
RD9H	#9	10" - 19"	5/Box
RD9HR	#9	10" - 19" RED	5/Box

Colored



Withstands up to 238° F

RD3	#3	1/4" - 5"	15/Box
RD5	#5	4-1/4" - 7-1/2"	10/Box
RD*BW	Brilliant White		
RD*DB	Dark Blue		
RD*DG	Dark Green		
RD*LB	Light Blue		
RD*LG	Light Green		
RD*TC	Terra Cotta		
RD*BN	Brown		
RD*BR	Bright Red		
RD6B	#6	5" - 9" BLACK	5/Box



SQUARE PIPE FLASHING

Black



Withstands up to 238° F

Hi-Temp RED



Withstands up to 392° F

SQ1B	#1	1/4" - 2"	20/Box
SQ2B	#2	1/4" - 3"	20/Box
SQ3B	#3	1/4" - 4"	20/Box
SQ4B	#4	3" - 6"	10/Box
SQ5B	#5	4" - 7"	10/Box
SQ6B	#6	5" - 9"	10/Box
SQ7B	#7	6" - 11"	10/Box
SQ8B	#8	7" - 13"	5/Box
SQ9B	#9	10" - 18"	5/Box

SQ1HR	#1	1/4" - 2"	15/Box
SQ2HR	#2	1/4" - 3"	15/Box
SQ3HR	#3	1/4" - 5"	20/Box
SQ4HR	#4	3" - 6-1/4"	10/Box
SQ5HR	#5	4-1/4" - 7-1/2"	10/Box
SQ6HR	#6	5" - 9"	10/Box
SQ7HR	#7	6" - 11"	10/Box
SQ8HR	#8	7" - 13"	5/Box
SQ9HR	#9	10" - 18"	5/Box

DEKS

RETROFIT PIPE FLASHING

Retrofit Pipe Flashing

RetroFit™



RF1	#1	3/4" - 2-3/4"	10/Box
RF2	#2	2" - 7-1/4"	5/Box
RF3	#3	3-1/4" - 10"	5/Box

Withstands up to 238° F

Extreme Angle Pipe

Extreme Angle Black



EX3B	#3	1/4" - 6-1/4"	5/Box
-------------	----	---------------	-------

Product Features:

- Fits a 10/12 roof pitch
- For a pipe 4" or less
- Roof pitch range is: 8/12 - 12/12

Withstands up to 238° F

COMBO PIPE FLASHING

Gray



CB1	#1	1/4" - 2-1/2"	15/Box
CB2	#2	1-3/4" - 4-1/4"	15/Box
CB3	#3	1/4" - 5"	15/Box
CB4	#4	3" - 7"	10/Box
CB5	#5	4-1/4" - 7-1/2"	10/Box
CB6	#6	5" - 9"	10/Box
CB7	#7	6" - 11"	10/Box
CB8	#8	7" - 13"	5/Box
CB9	#9	9-1/2" - 20"	5/Box

Withstands up to 238° F

Black




CB3B	#3	1/4" - 5" Black	15/Box
CB4B	#4	3" - 7" Black	10/Box
CB5B	#5	4-1/4" - 7-1/2" Black	10/Box
CB10B	#10	16" - 29-1/2" Black	1/Box

Withstands up to 238° F

DEKS

DINO SEAL™

Tired of complaints about **flash rust** on **new buildings**?



DINO SEAL™ prevents short term flash rust

Product Features:

- Forms a protective layer to prevent rust formation
- Easy application
- Uniform coverage
- Designed for durability



DS

Dino Seal

12/Box

HALO[®]

BUTYL TAPE

BT38

3/8" x 3/32" x 45' Roll

48/Box

BT1




1" x 3/32" x 50' Roll

10/Box

Product Features:

- Has superior adhesive strength
- Is resistant to UV light
- Withstands extreme roof temperatures
- Seal is not affected by expansion and contraction of metal

Installation Diagram



HALO[®]

RIDGE VENT ROLLS


NO FUSS ALL FUNCTION



Highly UV stable
material



Allows airflow while
blocking the elements



Self-adhesive for
simple installation

**BY THE BOX. BY THE PALLET.
BY THE TRUCK LOAD.**

RV

1" x 1½ x 20' Roll

15/Box

HALO[®]

RIDGE VENT STRIPS

STRONGER ROOFS START AT THE RIDGE



*Allows airflow while
blocking the elements*



*Highly UV stable
material*



*Self-adhesive for
simple installation*



*Tough mesh does
not wrap up on
screws*


RVS 3/4" Rib Ag Panel 100/Box

RVSR 1 1/4" Rib R Panel 100/Box

HALO[®]

FOAM CLOSURES


LOCK OUT THE ELEMENTS



*Adhears to
wet surfaces*



*Flame
resistant*



*Durable crosslink
polyethylene*



*Precut for a
snug/tight fit*

FCI 3/4" Rib Inside Closure 100/Box

FCO 3/4" Rib Outside Closure 100/Box

HALO[®]

FOAM CLOSURES


LOCK OUT THE ELEMENTS



*Adhears to
wet surfaces*



*Flame
resistant*



*Durable crosslink
polyethylene*



*Precut for a
snug/tight fit*

FCIR R Panel Inside Closure 100/Box

FCOR R Panel Outside Closure 100/Box


HALO[®]

ZERO DRIP

Available in PBR &
3/4" Rib AG Panel

Length - 1,968'

BY THE **ROLL**
BY THE **PALLET**
BY THE **TRUCKLOAD**



ZD 1,968' x 39" 3/4" Rib Panel 4 Rolls/Pallet

ZDR 1,968' x 40^{3/8}" R Panel 4 Rolls/Pallet

POLYESTER STRAPPING

RELIABLE HOLD IN EVERY LOAD

Ideal for Heavy & Rigid Loads

BY THE **ROLL**
BY THE **PALLET**
BY THE **TRUCKLOAD**



PSG31 STRAPPING

WIDTH: 16mm
THICKNESS: 0.8mm
LENGTH: 1200m/roll
WEIGHT: 45lbs/roll



PSG43 STRAPPING

WIDTH: 16mm
THICKNESS: 1.1mm
LENGTH: 1200m/roll
WEIGHT: 60lbs/roll

PSG31 .031" x 5/8" x 3,937' Strapping 12 Rolls/Pallet

PSG43 .043" x 5/8" x 3,937' Strapping 12 Rolls/Pallet

SCRIM

THE CLEAR CHOICE

ADD **YOUR** LOGO

- Lead time 120 Days
- Minimum order 441 rolls
- Width 48" Length 300'

BY THE **ROLL**
BY THE **PALLET**
BY THE **TRUCKLOAD**



SKC 48" x 300' Clear Scrim 72 Rolls/Pallet

SKL 48" x 300' Labeled Scrim 63 Rolls/Pallet

CAULKING

Seal It **Once**. Seal It **Right**.

Geocel

Product Features:

- Withstands adverse weather conditions
- Moisture cure
- Stays flexible
- Minimal shrinkage
- Non-sag formula
- Primerless adhesion on most substrates
- Paintable, non-corrosive
- Contains no TDI (toluene diisocyanate)



GCB Black Caulking 24/Case

GCC Clear Caulking 24/Case

GCW White Caulking 24/Case



LUXR[®]
METAL SHINGLES



TEXTURED MATTE BLACK



TEXTURED CHARCOAL



TEXTURED BURNISHED SLATE

PANEL

PRODUCT ID

DESCRIPTION

LUTMB

LUXRmetal shingle, textured matte black

LUTBS

LUXR metal shingle, textured burnished slate

LUTCH

LUXR metal shingle, textured charcoal

RIDGE CAP

PRODUCT ID

DESCRIPTION

LURCTMB

LUXR ridge cap, textured matte black

LURCTBS

LUXR ridge cap, textured burnished slate

LURCTCH

LUXR ridge cap, textured charcoal



DETAILS

- Available in 3 Standard Colors
- 26 Gauge Steel
- Standard Size Tiles
- 40" Length
- 12" Width


BECOME A DEALER



COLOR CHART



Acrylic Galvalume



Alamo White



Brilliant White



Ivory



Taupe



Ash Gray



Light Stone



Buckskin



Pewter Gray



Tan



Ocean



Charcoal



Copper Metallic



Gallery Blue



Burnished Slate



Brite Red



Hunter Green



Brown



Rustic Red



Dark Green




Matte Black




Burgundy



Textured Brilliant White



Textured Taupe



Textured Ash Gray



Textured Dark Green



Textured Burnished Slate



Textured Charcoal



Textured Burgundy



Textured Gallery Blue



Textured Brown



Textured Graphite



Textured Matte Black



Shiny Black



Old Town Grey



Textured Rustic Red



Textured Light Stone



Textured Alamo White



Textured Buckskin



PRECISION STARTS WITH PEOPLE

At Coil Spot, our team works hard every day to deliver the **quality products**, **fast service**, and **reliable support** you count on.



EXPERT TEAM

Knowledgeable professionals committed to exceptional service.



CONSISTENT QUALITY

Precision manufacturing built for dependable performance.



FAST & DEPENDABLE

Efficient production with fast delivery.

**THANK YOU
FOR CHOOSING**



**WHERE ROLLFORMERS
BUY DIRECT**



**NATIONWIDE
SHIPPING**



CONTACT



888-345-2645



www.coilspot.com



sales@coilspot.com

Version 2.0